


a)



Shade the bar models to represent the equivalent fractions.



1/6	<u>1</u>	1 6	1 6	1 6	<u>1</u>

$$\frac{1}{2} = \frac{3}{6}$$

 $\frac{1}{2} = \frac{5}{10}$ 

b) 
$$\frac{1}{2}$$
  $\frac{1}{2}$ 

c) 
$$\frac{1}{5}$$
  $\frac{1}{5}$   $\frac{1}{5}$   $\frac{1}{5}$   $\frac{1}{5}$ 

$$\frac{4}{5} = \frac{8}{10}$$

1	1	1	1
4	4	4	4

$$\frac{6}{8} = \frac{3}{4}$$

Use the fraction wall to complete the equivalent fractions.

1/2				1/2			
- 2	<u>1</u> 4	- 4	<u>1</u> 4	$\frac{1}{4}$ $\frac{1}{4}$			<u>1</u> 1
1/8	1/8	<u>1</u> 8	<u>1</u> 8	1/8	1/8	1/8	18

a) 
$$\frac{1}{2} = \frac{4}{4}$$

c) 
$$\frac{2}{4} = \frac{4}{1}$$

e) 
$$\frac{1}{8} = \frac{3}{4}$$

b) 
$$\frac{1}{2} = \frac{1}{8}$$

d) 
$$\frac{2}{8} = \frac{4}{4}$$

f) 
$$\frac{2}{2} = \frac{4}{4} = \frac{8}{8}$$

a) Label the fractions on the fraction wall.

1					

b) Use the fraction wall to complete the equivalent fractions.

$$\frac{1}{3} = \frac{\boxed{}}{6} = \frac{3}{\boxed{}}$$

$$\frac{\boxed{\phantom{0}}}{3} = \frac{4}{\boxed{\phantom{0}}} = \frac{6}{9}$$

$$\frac{3}{3} = \frac{6}{3} = \frac{9}{3} = 1$$

4		
	4	
`		

Here is a fraction wall.

1/2					1/2				
<u>1</u>	<u> </u>			1	<u> </u>  }		1/3		
1/4			1/4			1/4	1/4		1/4
<u>1</u> 5		<u>1</u> 5		_1	<u> </u>		<u>1</u> 5		<u>1</u> 5
<u>1</u>		<u>l</u>		<u>1</u>	<u>1</u>		<u>1</u> 6	-	<u>1</u>

Is each statement true or false? Tick your answers.

a)  $\frac{1}{2}$  is equivalent to  $\frac{3}{6}$ 

True

b)  $\frac{2}{3}$  is equivalent to  $\frac{3}{4}$ 

False

c)  $\frac{2}{4}$  is equivalent to  $\frac{3}{6}$ 

d)  $\frac{2}{3}$  is equivalent to  $\frac{4}{5}$ 

e)  $\frac{2}{3}$  is equivalent to  $\frac{4}{6}$ 

f)  $\frac{3}{5}$  is equivalent to  $\frac{4}{6}$ 

Write your own equivalent fractions statements.

Ask a partner to say if they are true or false.



5	Are the statements always, sometimes or never true?
	Circle your answer.



Draw a diagram to support your answer.

always	sometimes	never
actions equivalent	to one half have eve	en numerators.
always	sometimes	never
uivvugs		
uiways		

c)	If a fraction is equ	iivalent to one	half, the	denominator	wi
	be double the num	nerator.			

always	sometimes	never

